

Order and Quote Routing Field Mapping between CAT and Exchanges/Display-Only Facility

7/5/2023

Version 2.7

Table of Contents

| | | |
|-------|--|----|
| 1. | Revision Summary | ii |
| 2. | Summary | 1 |
| 3. | Order routing fields – CAT/Exchange/Display-Only Facility correlations..... | 1 |
| 4. | BOX | 1 |
| 5. | Cboe Exchange Family | 2 |
| 5.1. | Cboe Equities Exchanges | 2 |
| 5.2. | Cboe Options Exchanges | 2 |
| 6. | Investors Exchange (IEX)..... | 3 |
| 7. | Miami Exchange Family | 4 |
| 7.1. | Miami Securities Exchange and MIAX Emerald | 4 |
| 7.2. | MIAX PEARL Options | 5 |
| 7.3. | MIAX PEARL Equities | 6 |
| 8. | Nasdaq Exchange Family..... | 7 |
| 8.1. | Nasdaq Stock Market, Nasdaq BX and Nasdaq PSX..... | 7 |
| 8.2. | Nasdaq Options Markets | 8 |
| 9. | ICE Exchange Family | 9 |
| 9.1. | New York Stock Exchange (NYSE) prior to migration to the Pillar Gateway | 9 |
| 9.2. | NYSE, NYSE Arca, NYSE American, NYSE Chicago, NYSE National Stock Exchange, NYSE Arca Options, and NYSE American Options (NYSE Pillar Gateway) | 10 |
| 9.3. | NYSE American Options prior to the migration to Pillar | 10 |
| 10. | Long-Term Stock Exchange (LTSE)..... | 11 |
| 11. | Members Exchange Family (MEMX)..... | 11 |
| 11.1. | MEMX..... | 11 |
| 11.2. | MEMX Options | 11 |
| 12. | Display-Only Facility..... | 12 |
| 12.1. | FINRA Alternative Display Facility (FINRA ADF) | 12 |

1. Revision Summary

| Version | Publish Date | Description |
|---------|--------------|--|
| 1.0 | 12/6/2018 | Initial Publication |
| 1.1 | 2/11/2020 | Updated guidance for populating senderIMID as per CAT Alert 2018-003 Cboe: Updates for population of session |
| 1.2 | 3/24/2020 | Nasdaq Family: Options Exchanges Added MIAX Family: <ul style="list-style-type: none"> • Updates for population of session for MIAMI and PEARL • MIAX Emerald added • MEI and MEO interfaces added |
| 1.3 | 4/7/2020 | Republished as "Order Routing Field Correlations between CAT and Exchanges" BOX: Updates for population of session |
| 1.4 | 4/21/2020 | Retitled as "Order Routing Field Mapping between CAT and Exchanges" Updated Intro language. Removed Section 2 and incorporated information into Section 2.6.3 of the IM Technical Specifications. MIAX Family: <ul style="list-style-type: none"> • Updates for population of <i>session</i> for MIAMI and PEARL |
| 1.5 | 6/2/2020 | Cboe Family: <ul style="list-style-type: none"> • Added Sections 2.1 and 2.2 to differentiate between requirements for Cboe Equities Exchanges and Options Exchanges, and include updates for population of senderIMID for Cboe Options Exchanges. |
| 1.6 | 8/4/2020 | MIAX Family: <ul style="list-style-type: none"> • Updates for population of senderIMID field |
| 1.7 | 8/31/20 | IEX: <ul style="list-style-type: none"> • Updates for population of senderIMID field |
| 1.8 | 10/6/2020 | Added LTSE, MEMX, and MIAX PEARL Equities exchanges. BOX: Updates for population of routedOrderID for SAIL users. |
| 1.9 | 10/28/2020 | MIAX PEARL Equities: <ul style="list-style-type: none"> • Updates for population of senderIMID field |
| 2.0 | 12/15/2020 | Nasdaq Options Markets: <ul style="list-style-type: none"> • Updates for population of senderIMID field |
| 2.1 | 2/5/2021 | Nasdaq Stock Market, Nasdaq BX, and Nasdaq PSX <ul style="list-style-type: none"> • Updates for population of routedOrderID and session |
| 2.2 | 3/19/2021 | NYSE: <ul style="list-style-type: none"> • Updates for NYSE Pillar Gateway Migration |
| 2.3 | 9/7/2021 | NYSE: <ul style="list-style-type: none"> • Updates for ARCAOP Pillar Migration |
| 2.4 | 10/14/2021 | NYSE: <ul style="list-style-type: none"> • Minor update to ARCAOP Pillar Migration date |
| 2.5 | 11/08/2022 | Nasdaq Stock Market, Nasdaq BX and Nasdaq PSX: <ul style="list-style-type: none"> • Updates for population of routedOrderID for OUCH 5 protocol users |

| Version | Publish Date | Description |
|---------|--------------|---|
| 2.6 | 4/11/2023 | Retitled as Order and Quote Routing Field Mapping between CAT and Exchanges/Display-Only Facility Added Section for quotations routed to a Display-Only Facility and the related Equity BBO events reported by FINRA ADF |
| 2.7 | 7/5/2023 | NYSE: <ul style="list-style-type: none"> • Updates reflecting the completion of the ARCAOP Pillar Migration and pending AMEROP migration to Pillar platform Members Exchange Family <ul style="list-style-type: none"> • MEMXOP added Added clarifications to Section 3 regarding Display-Only Facility |

2. Summary

This document is a supplement to the [CAT Reporting Technical Specifications for Industry Members](#) (“IM Tech Spec”) and provides guidance outlining how Industry Members should populate each field required for Exchange Route Matching. As described in Section 2.6.3 of the IM Tech Spec, the *Consolidated Audit Trail (CAT)* system must be able to link all CAT Order Route events to the related exchange orders. This document provides clarification on the values to be provided based on the exchange the order is routed to, describing specific guidance related to each field required for Exchange Route Matching, correlated exchange protocols and the associated CAT reporting.

This document also provides clarification for Industry Members generating quotes and displaying them on a Display-Only Facility, describing specific guidance related to linking quotations to related Display-Only Facility Equity BBO events.

3. Order routing fields – CAT/Exchange/Display-Only Facility correlations

The sections below contain a field-by-field mapping for each exchange outlining how CAT Order Route event fields should be populated based on each related exchange protocol. Also included below is field-by-field mapping for how CAT Routed Quote event fields should be populated based on Display-Only Facility protocols.

4. BOX

The table below describes the specific fields CAT uses to match Order Route events to the related Order Accept events reported by **BOX** options exchange.

| CAT Report Field | BOX-related field |
|------------------|---|
| senderIMID | Market Participant Identifier (MPID) |
| routedOrderID | FIX: CIOrdID (Tag 11) SAIL: Owner Data field. If the pound (“#”) sign is present in this field, then submit the first 20 characters before the pound (“#”) sign. If the pound (“#”) sign is not present in this field, submit the first 20 characters. Exclude the pound (“#”) sign from the submission. Refer to the SAIL Documentation available at https://boxoptions.com/technology/trading-interface-specifications/ . |
| symbol | Symbol |
| eventTimestamp | Trade Date |
| session | FIX: • SenderCompID (Tag 49) |

| CAT Report Field | BOX-related field |
|------------------|--|
| | SAIL: • “User Id” tag from the “TC-User Connection” Message sent by the Participant at the beginning of the day |

5. Cboe Exchange Family

5.1. Cboe Equities Exchanges

The below matrix describes the specific fields CAT uses to match CAT Order Route events to the related Order Accept events reported by the Cboe Equities Exchanges (Cboe BYX Equities Exchange, Cboe BZX Equities Exchange, Cboe EDGA Equities Exchange, and Cboe EDGX Equities Exchange).

| CAT Report Field | Exchange-Related Field |
|-----------------------|--|
| senderIMID | Market Participant Identifier (MPID) ClearingFirm (Tag 439) · FIX Users (except Service Bureau) OnBehalfofCompld (Tag 115) · FIX Users (Service Bureau) ClearingFirm · BOE Users |
| routedOrderID | ClOrdID (Tag 11) · FIX Users ClOrdID · BOE Users |
| symbol | Symbol |
| eventTimestamp | Trade Date |
| session | Concatenation of fields for a total session field length of 8 as follows: <SenderCompID(Tag 49)><SenderSubId (Tag 50)> · FIX Users < Username><SessionSubId> · BOE Users |

5.2. Cboe Options Exchanges

The below matrix describes the specific fields CAT uses to match CAT Order Route events to the related Order Accept events reported by the Cboe Options Exchanges (Cboe BZX Options Exchange, Cboe Options Exchange, Cboe C2 Options Exchange, and Cboe EDGX Options Exchange).

| CAT Report Field | Exchange-Related Field |
|-----------------------|--|
| senderIMID | Routing Broker EFID (if present): RoutingFirmID (Tag 7933) · FIX Users RoutingFirmID · BOE Users When Routing Broker EFID not present, then Executing Firm ID (EFID) OnBehalfOfCompID (Tag 115) · FIX Users ClearingFirm · BOE Users |
| routedOrderID | CIOrdID (Tag 11) · FIX Users CIOrdID · BOE Users |
| symbol | Symbol |
| eventTimestamp | Trade Date |
| session | Concatenation of fields for a total session field length of 8 as follows: <SenderCompID(Tag 49)><SenderSubid (Tag 50)> · FIX Users < Username><SessionSubld> · BOE Users |

6. Investors Exchange (IEX)

The below matrix describes the specific fields CAT uses to match CAT Order Route events to the related Order Accept events reported by IEX.

| CAT Report Field | Exchange-Related Field |
|-----------------------|----------------------------|
| senderIMID | OnBehalfOfCompID (Tag 115) |
| routedOrderID | CIOrdID (Tag 11) |
| symbol | Symbol |
| eventTimestamp | Trade Date |
| session | SenderCompID (Tag 49) |

7. Miami Exchange Family

7.1. Miami Securities Exchange and MIAX Emerald

The below matrix describes the specific fields CAT uses to match CAT Order Route events to the related Order Accept events reported by the MIAMI International Exchange and MIAX Emerald.

| CAT Report Field | Exchange-Related Field | | | | | | | | |
|-----------------------|--|-------------------|--|--------------|--|-------------|---|--------------|--|
| senderIMID | FIX Order <ul style="list-style-type: none"> • SenderSubID FIX (Tag 50) eQuote (MEI) <ul style="list-style-type: none"> • MPID | | | | | | | | |
| routedOrderID | FIX Order: <ul style="list-style-type: none"> • ClOrdID (Tag 11) eQuote (MEI): <ul style="list-style-type: none"> • Client message Id <table border="1" data-bbox="570 926 1193 968"> <tr> <td>Client Message ID</td> <td>4</td> <td>BinaryU</td> <td>Unique Message ID assigned by the firm</td> </tr> </table> | Client Message ID | 4 | BinaryU | Unique Message ID assigned by the firm | | | | |
| Client Message ID | 4 | BinaryU | Unique Message ID assigned by the firm | | | | | | |
| symbol | Symbol –Simple Option Order FIX (Tags 55, 200, 201, 202 and 205) Multi-leg Option Order FIX (Tags 600, 608, 611 and 612) | | | | | | | | |
| eventTimestamp | Trade Date | | | | | | | | |
| session | FIX Order: <ul style="list-style-type: none"> • SenderCompID (Tag 49) eQuote (MEI Interface): <ul style="list-style-type: none"> • Username + “-“ + Computer ID. (see “TCP Session Management (SesM) Protocol Specification” section 3.2.1 Login Request) <table border="1" data-bbox="570 1430 1300 1476"> <tr> <td>Username</td> <td>5</td> <td>Alphanumeric</td> <td>Username issued by MIAX during initial setup</td> </tr> <tr> <td>Computer ID</td> <td>8</td> <td>Alphanumeric</td> <td>ID issued by MIAX during initial setup</td> </tr> </table> | Username | 5 | Alphanumeric | Username issued by MIAX during initial setup | Computer ID | 8 | Alphanumeric | ID issued by MIAX during initial setup |
| Username | 5 | Alphanumeric | Username issued by MIAX during initial setup | | | | | | |
| Computer ID | 8 | Alphanumeric | ID issued by MIAX during initial setup | | | | | | |

7.2. MIAX PEARL Options

| CAT Report Field | Exchange-Related Field | | | | | | | | | |
|-----------------------|--|-------------------|--|---|--|-----------------|---|--------------|--|---|
| senderIMID | <p>FIX Order</p> <ul style="list-style-type: none"> • SenderSubID FIX (Tag 50) <p>Binary Order (MEO)</p> <ul style="list-style-type: none"> • MPID | | | | | | | | | |
| routedOrderID | <p>FIX Order:</p> <ul style="list-style-type: none"> • ClOrdID (Tag 11) <p>Binary Order (MEO Interface) (unassigned Market Maker Order or Non Market Maker Order or other than day TIF):</p> <ul style="list-style-type: none"> • If Auto Replaced: Client message Id + '-' + "Client Order ID" <table border="1" data-bbox="570 785 1205 827"> <tr> <td>Client Message ID</td> <td>4</td> <td>BinaryU</td> <td>Unique Message ID assigned by the firm</td> </tr> </table> <table border="1" data-bbox="579 892 1289 1121"> <tr> <td>Client Order ID</td> <td>4</td> <td>N</td> <td>BinaryU</td> <td> <p>Client order ID.</p> <p>If an Order with this Client Order ID found for the same product, MPID and side, this Order replaces the resting Order. If not, this order is treated as new Order.</p> <p>For each Product and side, an MPID can have a maximum of N orders with unique client order ID that they can keep replacing. 0 results in a reject.</p> <p>Maximum value (N) defined in Regulatory circular.</p> </td> </tr> </table> <ul style="list-style-type: none"> • Otherwise: Client Order Id | Client Message ID | 4 | BinaryU | Unique Message ID assigned by the firm | Client Order ID | 4 | N | BinaryU | <p>Client order ID.</p> <p>If an Order with this Client Order ID found for the same product, MPID and side, this Order replaces the resting Order. If not, this order is treated as new Order.</p> <p>For each Product and side, an MPID can have a maximum of N orders with unique client order ID that they can keep replacing. 0 results in a reject.</p> <p>Maximum value (N) defined in Regulatory circular.</p> |
| Client Message ID | 4 | BinaryU | Unique Message ID assigned by the firm | | | | | | | |
| Client Order ID | 4 | N | BinaryU | <p>Client order ID.</p> <p>If an Order with this Client Order ID found for the same product, MPID and side, this Order replaces the resting Order. If not, this order is treated as new Order.</p> <p>For each Product and side, an MPID can have a maximum of N orders with unique client order ID that they can keep replacing. 0 results in a reject.</p> <p>Maximum value (N) defined in Regulatory circular.</p> | | | | | | |
| symbol | Symbol –Simple Option Order FIX (Tags 55, 200, 201, 202 and 205) | | | | | | | | | |
| eventTimestamp | Trade Date | | | | | | | | | |
| session | <p>FIX Order:</p> <ul style="list-style-type: none"> • SenderCompID (Tag 49) <p>Binary Order (MEO Interface):</p> <ul style="list-style-type: none"> • Username + "-" + Computer ID. (see "TCP Session Management (SesM) Protocol Specification" section 3.2.1 Login Request) <table border="1" data-bbox="570 1633 1300 1686"> <tr> <td>Username</td> <td>5</td> <td>Alphanumeric</td> <td>Username issued by MIAX during initial setup</td> </tr> <tr> <td>Computer ID</td> <td>8</td> <td>Alphanumeric</td> <td>ID issued by MIAX during initial setup</td> </tr> </table> | Username | 5 | Alphanumeric | Username issued by MIAX during initial setup | Computer ID | 8 | Alphanumeric | ID issued by MIAX during initial setup | |
| Username | 5 | Alphanumeric | Username issued by MIAX during initial setup | | | | | | | |
| Computer ID | 8 | Alphanumeric | ID issued by MIAX during initial setup | | | | | | | |

7.3. MIAx PEARL Equities

| CAT Report Field | Exchange-Related Field | | | | | | | | | |
|-----------------------|--|-------------------|--|--|--|-----------------|---|--------------|--|--|
| senderIMID | FIX Order <ul style="list-style-type: none"> OnBehalfofCompID FIX (Tag 115) Binary Order (MEO) <ul style="list-style-type: none"> MPID | | | | | | | | | |
| routedOrderID | FIX Order: <ul style="list-style-type: none"> ClOrdID (Tag 11) Binary Order (MEO Interface) (unassigned Market Maker Order or Non Market Maker Order or other than day TIF): <ul style="list-style-type: none"> If Auto Replaced: Client message Id + '-' + "Client Order ID" <table border="1" data-bbox="570 785 1205 827"> <tr> <td>Client Message ID</td> <td>4</td> <td>BinaryU</td> <td>Unique Message ID assigned by the firm</td> </tr> </table> <table border="1" data-bbox="578 858 1289 1085"> <tr> <td>Client Order ID</td> <td>4</td> <td>N</td> <td>BinaryU</td> <td> Client order ID. If an Order with this Client Order ID found for the same product, MPID and side, this Order replaces the resting Order. If not, this order is treated as new Order. For each Product and side, an MPID can have a maximum of N orders with unique client order ID that they can keep replacing. 0 results in a reject. Maximum value (N) defined in Regulatory circular. </td> </tr> </table> <ul style="list-style-type: none"> Otherwise: Client Order Id | Client Message ID | 4 | BinaryU | Unique Message ID assigned by the firm | Client Order ID | 4 | N | BinaryU | Client order ID. If an Order with this Client Order ID found for the same product, MPID and side, this Order replaces the resting Order. If not, this order is treated as new Order. For each Product and side, an MPID can have a maximum of N orders with unique client order ID that they can keep replacing. 0 results in a reject. Maximum value (N) defined in Regulatory circular. |
| Client Message ID | 4 | BinaryU | Unique Message ID assigned by the firm | | | | | | | |
| Client Order ID | 4 | N | BinaryU | Client order ID. If an Order with this Client Order ID found for the same product, MPID and side, this Order replaces the resting Order. If not, this order is treated as new Order. For each Product and side, an MPID can have a maximum of N orders with unique client order ID that they can keep replacing. 0 results in a reject. Maximum value (N) defined in Regulatory circular. | | | | | | |
| symbol | Symbol –Simple Option Order FIX (Tags 55, 200, 201, 202 and 205) | | | | | | | | | |
| eventTimestamp | Trade Date | | | | | | | | | |
| session | FIX Order: <ul style="list-style-type: none"> SenderCompID (Tag 49) Binary Order (MEO Interface): <ul style="list-style-type: none"> Username + Computer ID. (see "TCP Session Management (SesM) Protocol Specification" section 3.2.1 Login Request) <table border="1" data-bbox="570 1583 1302 1631"> <tr> <td>Username</td> <td>5</td> <td>Alphanumeric</td> <td>Username issued by MIAx during initial setup</td> </tr> <tr> <td>Computer ID</td> <td>8</td> <td>Alphanumeric</td> <td>ID issued by MIAx during initial setup</td> </tr> </table> | Username | 5 | Alphanumeric | Username issued by MIAx during initial setup | Computer ID | 8 | Alphanumeric | ID issued by MIAx during initial setup | |
| Username | 5 | Alphanumeric | Username issued by MIAx during initial setup | | | | | | | |
| Computer ID | 8 | Alphanumeric | ID issued by MIAx during initial setup | | | | | | | |

8. Nasdaq Exchange Family

8.1. Nasdaq Stock Market, Nasdaq BX and Nasdaq PSX

The below matrix describes the specific fields CAT uses to match CAT Order Route events to the related Order Accept Events reported by The Nasdaq Stock Market, Nasdaq BX and Nasdaq PSX.

| CAT Report Field | Exchange-Related Field |
|-----------------------|---|
| senderIMID | Market Participant Identifier (MPID) |
| routedOrderID | ClOrdID (Tag 11) <ul style="list-style-type: none"> · FIX Users Order Token/Client Order ID <ul style="list-style-type: none"> · RASHport Users Order Token <ul style="list-style-type: none"> · DROP Users · OUCH 4 Users ClOrdID <ul style="list-style-type: none"> · OUCH 5 Users User Order ID <ul style="list-style-type: none"> · QIX Users (Order Entry Message) Client Tracking Number appended with 'B' or 'S' or side value if using short sale <ul style="list-style-type: none"> · QIX Users (Quote Update Message) UID <ul style="list-style-type: none"> · CTCI Users |
| symbol | Symbol <ul style="list-style-type: none"> · FIX Users Stock <ul style="list-style-type: none"> · DROP Users · OUCH Stock Symbol <ul style="list-style-type: none"> · RASHport |
| eventTimestamp | Trade Date |

| CAT Report Field | Exchange-Related Field |
|------------------|--|
| session | FIXPortAcct · FIX Users OUCHAcct · NASDAQ INET OUCH QIXAcct · NASDAQ QIX (Order Entry Message) "\$AQR01" · NASDAQ QIX (Quote Update Message) RASHAcct · RASHPort Source · OUCH Drop Deliver ToSubID (Tag 128) · FIX/RASH Drop |

8.2. Nasdaq Options Markets

The below matrix describes the specific fields CAT uses to match CAT Order Route events to the related Order Accept events reported by The Nasdaq Options Markets (ISE, GEMX, MRX, PHLX, NOM, and NOBO).

| CAT Report Field | Exchange-Related Field |
|----------------------|---|
| senderIMID | ISE, GEMX, MRX Session Default Firm – Non-service Bureau SenderSubID (Tag 50) – Service Bureau · FIX Users Firm ID · OTTO Badge · SQF · QUO Firm Mnemonic · Precise PHLX, NOM, NOBO ClientID (Tag 109). If not supplied, then SenderSubID (Tag 50). Service Bureau firms can work with Nasdaq to setup a default senderIMID value per session. · FIX Users Badge · SQF · QUO |
| routedOrderID | ClOrdID (Tag 11) · FIX Users Order Token · OTTO 1.4.d ClOrdID · OTTO 2.1.* Message-ID |

| CAT Report Field | Exchange-Related Field |
|--------------------------|--|
| | <ul style="list-style-type: none"> · SQF (Since Message-ID is binary, it will be converted to HEX) |
| symbol / optionID | Symbol/OptionID <ul style="list-style-type: none"> · FIX Users · SQF Users (for Sweep Orders) · OTTO |
| eventTimestamp | Trade Date |
| session | SenderCompID (Tag 49) <ul style="list-style-type: none"> · FIX Users OTTO ACCT (Login-id from the URL) <ul style="list-style-type: none"> · OTTO 1.4.d and OTTO 2.1 Users SQF ACCT (Login-id from the URL) <ul style="list-style-type: none"> · SQF Users |

9. ICE Exchange Family

9.1. New York Stock Exchange (NYSE) prior to migration to the Pillar Gateway

The below matrix describes the specific fields CAT uses to match CAT Order Route events to the related Order Accept events reported by the New York Stock Exchange, prior to migration to the Pillar gateway.

| CAT Report Field | NYSE-Related Field |
|-----------------------|---|
| senderIMID | Entering Firm Trading Mnemonic |
| routedOrderID | ClOrdID (Tag 11) <ul style="list-style-type: none"> · NYSE FIX Users ClientOrderID <ul style="list-style-type: none"> · NYSE UTP Direct Users |
| symbol | Symbol <ul style="list-style-type: none"> · NYSE UTP Direct Users · NYSE FIX Users |
| eventTimestamp | Trade Date |
| session | SenderCompID (Tag 49) <ul style="list-style-type: none"> · NYSE UTP Direct Users · NYSE FIX Users |

9.2. NYSE, NYSE Arca, NYSE American, NYSE Chicago, NYSE National Stock Exchange, NYSE Arca Options, and NYSE American Options (NYSE Pillar Gateway)

The below matrix describes the specific fields CAT uses to match CAT Order Route events to the related Order Accept Event in NYSE, NYSE American, NYSE Chicago, NYSE National, NYSE Arca, NYSE Arca Options, and NYSE American Options received via the NYSE Pillar Gateway.

| CAT Report Field | Exchange-Related Field |
|------------------|---|
| senderIMID | Firm Identifier – MPID |
| routedOrderID | CIOrdID (Tag 11) · FIX Users · Binary Users |
| symbol | Symbol |
| eventTimestamp | Trade Date |
| session | SenderCompID · FIX Users Username · Binary Users |

9.3. NYSE American Options prior to the migration to Pillar

The below matrix describes the specific fields CAT uses to match CAT Order Route events to the related Order Accept events reported by the NYSE American Options exchange prior to the Pillar migration.

| CAT Report Field | Exchange-Related Field |
|------------------|--------------------------------------|
| senderIMID | Options Trading Permit ID (TPID) |
| routedOrderID | CIOrdID (Tag 11) · FIX Users |
| symbol | Symbol · FIX Users |
| eventTimestamp | Trade Date |
| session | SenderCompID (Tag 49) · FIX Users |

NYSE American Options is scheduled to begin Pillar migration in October 2023.

10. Long-Term Stock Exchange (LTSE)

The below matrix describes the specific fields CAT uses to match CAT Order Route events to the related Order Accept events reported by **LTSE**.

| CAT Report Field | Exchange-Related Field |
|------------------|--------------------------------------|
| senderIMID | Market Participant Identifier (MPID) |
| routedOrderID | CIOrdID (Tag 11) |
| symbol | Symbol |
| eventTimestamp | Trade Date |
| session | SenderCompID (Tag 49) |

11. Members Exchange Family (MEMX)

11.1. MEMX

The below matrix describes the specific fields CAT uses to match CAT Order Route events to the related Order Accept events reported by **MEMX**.

| CAT Report Field | Exchange-Related Field |
|------------------|---|
| senderIMID | Market Participant Identifier (MPID) |
| routedOrderID | CIOrdID (Tag 11) · FIX Users CIOrdID · SBE |
| symbol | Symbol |
| eventTimestamp | Trade Date |
| session | SenderCompID (Tag 49) · FIX Users Account Name · SBE |

11.2. MEMX Options

The below matrix describes the specific fields CAT uses to match CAT Order Route events to the related Order Accept events reported by **MEMXOP**.

| CAT Report Field | Exchange-Related Field |
|------------------|----------------------------------|
| senderIMID | Executing Firm Identifier (EFID) |

| CAT Report Field | Exchange-Related Field |
|-----------------------|---|
| routedOrderID | ClOrdID (Tag 11) · FIX Users ClOrdID · SBE |
| symbol | OSI Symbol |
| eventTimestamp | Trade Date |
| session | SenderCompID (Tag 49) · FIX Users Account Name · SBE |

12. Display-Only Facility

12.1. FINRA Alternative Display Facility (FINRA ADF)

The below matrix describes the specific fields CAT uses to match CAT Routed Quote events to the related Equity BBO events on a Display-Only Facility reported by **FINRA ADF**.

| CAT Report Field | Display-Only Facility-Related Field |
|-----------------------|--|
| senderIMID | Market Participant Identifier (MPID) |
| routedQuoteID | QuoteID (Tag 117) · FIX Users |
| symbol | Symbol |
| eventTimestamp | Event Date |
| session | Concatenation of fields for a total session field length of 8 as follows: <PartyID(Tag 448)>< SenderSubID(Tag 50)> · FIX Users |